



// ONE BRAND // ONE SOURCE // ONE SYSTEM



REMA TIP TOP
The Original
since 1923

REMA TIP TOP
BICYCLE CATALOGUE



// ONE BRAND // ONE SOURCE // ONE SYSTEM



BICYCLE TUBE REPAIR? YES, FOR SURE!

So that your journey can quickly resume after a puncture

CONTENT



REMA TIP TOP




Tyre and Tube Repair	4-9
Tyre and Tube Repair/Accessories	10-11
Tyre and Tube Repair/Self-service products	12-13
Tyre and Tube Repair/Rep & Air	14
Tyre and Tube Repair/Tyre sealants	15
Outdoor repair material	16
Mounting stands	17-21
Cargolift/Ceilinglift	22
Mounting stands accessories	23-26
BATTERY LOCKER	27-29
Compressor	30
Tyre inflators & Tyre pressure gauges	31
Bicycle valves	32
Bicycle valve adapters	33
Workplace mats	34
Protecting, cleaning and caring	35-37
Bicycle cleaning and maintenance	38-41
Reflective Products	42

TYRE AND TUBE REPAIR

TUBE PATCHES, RED EDGE

REMA TIP TOP Tube patches with double-scalloped edge applied with REMA TIP TOP SVS-VULC vulcanizing fluid ensure perfect bonding through vulcanization

- Due to the stepped multi-layer structure of the Tube patch body they stretch evenly in all directions when the Tube is inflated
- They leave no edges on the repair area



Ref. No.	Description	Size mm	Content	Qty					
500 0012	Tube patches F 0	Ø 16	100	5	•				
500 0029	Tube patches F 1	Ø 25	100	5	•				
500 0191	Tube patches F 2	50 x 25	100	6	•				
500 0036	Tube patches No. 0	Ø 30	100	6	•	•	•		
500 0043	Tube patches No. 1	Ø 35	30	6	•	•	•		
500 0050	Tube patches No. 2	Ø 45	30	6		•	•		
500 0067	Tube patches No. 3	Ø 54	30	6			•	•	•
500 0081	Tube patches No. 4	Ø 75	30	3			•	•	•
500 0108	Tube patches No. 5	Ø 94	10	1				•	•
500 0122	Tube patches No. 6	Ø 116	10	1				•	•
500 0201	Tube patches No. 7	74 x 37	30	6		•	•		
500 0263	Tube patches No. 7B	150 x 75	10	1				•	•
506 7103	Tube patch strips TT 02, for bicycles, in paper sleeve		50	1	•				
506 7048	Tube patch strips TT 04, sport, in paper sleeve Extra thin Tube patches for racing bike tyres		50	1	•				

VULCANIZING FLUID

- Free of CHC/aromatic compounds
- For the vulcanization of Tube patches, valve patches, fabric-reinforced valve patches and rubber base valves (hot vulcanization)

Ref. No.	Description	Content	Qty
505 9025	Vulcanizing fluid	3 g Tube	10
505 9032	Vulcanizing fluid	5 g Tube	50
505 9056	Vulcanizing fluid	10 g Tube	50
505 9128	Vulcanizing fluid	25 g Tube	50
505 9142	Vulcanizing fluid	50 g Tube	25
505 9159	Vulcanizing fluid	70 g Tin, with brush top	25
505 9197	Vulcanizing fluid	175 g Tin, with brush top	25
505 0196	Vulcanizing fluid	175 g Tin	25
505 9245	Vulcanizing fluid	500 g Tin	10



similar pictures

TYRE AND TUBE REPAIR

BICYCLE REPAIR KIT TT 01

The basic kit for bicycle tyre repair.

Ref. No.	Description	Qty
506 0007	Bicycle repair kit TT 01	36
506 4003	Bicycle repair kit TT 01 with self-service clip Scope of delivery: 4 Tube patches size F1 1 Tube patch size F2 1 Tube of SVS vulcanizing fluid 3 g 1 Emery paper with special rubberpad 1 Manual	10



BICYCLE REPAIR KIT TT 02

The 'No. 1' among the bicycle repair kits.

Ref. No.	Description	Qty
506 0100	Bicycle repair kit TT 02	24
506 4106	Bicycle repair kit TT 02, with self-service clip	10
507 9892	Bicycle repair kit TT 02, in dispenser box	20
506 9163	Bicycle repair kit TT 02, retro	1
506 9190	Bicycle repair kit TT 02, retro limited edition Scope of delivery: 6 Tube patches size F1 1 Tube patch size F2 1 Tube of SVS vulcanizing fluid 5 g 1 Emery paper with special rubberpad 1 Manual	1

➤ similar pictures

TYRE AND TUBE REPAIR

BICYCLE REPAIR KIT TT 03

Completely new repair kit containing self-adhesive Tube patches.

Ref. No.	Description	Qty
506 0030	Bicycle repair kit TT 03 quick patch, in dispenser box	24
506 4030	Bicycle repair kit TT 03 quick patch, with self-service clip Scope of delivery: 6 Self-adhesive Tube patches 1 Emery paper 1 Manual	10



BICYCLE REPAIR KIT TT 04

Special assortment of extra-thin Tube patches for racing bike professionals.

Ref. No.	Description	Qty
506 0045	Bicycle repair kit TT 04 sport	36
506 4041	Bicycle repair kit TT 04 sport, with self-service clip Scope of delivery: 6 Tube patches size F0 1 Tube of SVS vulcanizing fluid 3 g 1 Emery paper with special rubberpad 1 Manual	10

BICYCLE REPAIR KIT TT 05

The mobile breakdown kit for the ATB, MTB and frequent cyclist.

Ref. No.	Description	Qty
506 0193	Bicycle repair kit TT 05	16
506 4199	Bicycle repair kit TT 05, with self-service clip Scope of delivery: 2 Tube patches size F1 1 Tube patch size F2 1 Tube patch size 0 1 Cover patch F2 blue 1 Tube of SVS vulcanizing fluid 5 g 1 Emery paper with special rubberpad 2 Tyre levers 1 Manual	10

similar pictures

TYRE AND TUBE REPAIR

BICYCLE REPAIR KIT TT 06

The ,top-class' deluxe box with CO2 cartridges for fast Inflation.

Ref. No.	Description	Qty
506 0605	Bicycle repair kit TT 06	10
506 4601	Bicycle repair kit TT 06, with self-service clip Scope of delivery: 2 Tube patches size F1 2 Tube patches size F2 2 Tube patches size 1 1 Cover patch F2 blue 1 Tube of SVS vulcanizing fluid 5 g 2 Emery paper with special rubberpad 2 Tyre levers, 2 CO2 cartridges 1 CO2 cartridge adapter 1 Rapid valve, 1 Valve core 1 Collar nut, 1 Valve adapter 1 Slotted valve cap, 1 Manual	10



BICYCLE REPAIR KIT TT 09

The content of this kit is designed especially for the needs of E-Bike cyclists

Ref. No.	Description	Qty
506 0900	Bicycle repair kit TT09 Scope of delivery: 2 Tube patches size F1 1 Tube patch size F2 1 Tube patch size 0 1 Cover patch F2 blue 1 Tube of SVS vulcanizing fluid 5 g 1 Emery paper with special rubberpad 2 Tyre levers, black 1 Manual 1 Leakfinder 1 Disposable gloves	10

MOTORCYCLE REPAIR KITS TT 10

Ref. No.	Description	Qty
506 0203	Motorcycle repair kit TT 10	24
506 4209	5064209 Motorcycle repair kit TT 10, with self-service clip Scope of delivery: 4 Patches size 0, 1 Patch size F3 1 Tube of SVS vulcanizing fluid 5 g 1 Emery paper with special rubberpad 1 Manual	10

→ similar pictures

TYRE AND TUBE REPAIR



[similar pictures](#)

BICYCLE REPAIR KIT TT 15

- The Big Box is perfect for all those who frequently repair or repair many bicycles.
- It belongs in every workshop, at home and on every bicycle tour in the group.

Ref. No.	Description	Qty
506 1500	Bicycle repair kit TT15 Scope of delivery: 10 Tube patches size F0 10 Tube patches size F1 10 Tube patch size O 10 Tube patch size F2 1 Tube repair sheet 100x100mm 1 Tube of SVS vulcanizing fluid 25 g 3 Emery paper with special rubberpad 3 Tyre levers, black 1 Plastic stitcher, black 1 Leakfinder 1 Manual	1

TYRE AND TUBE REPAIR

TUBELESS REPAIR KIT TT 13

Tubeless repair kit for tubeless tyres. Also suitable for repair of bicycle tube tyres

New: Now with REMAXX Bike Mounting gel

- Universal patches stabilize the tyre casing at the injury and seal the injury
- Further tearing of the damage is prevented

Ref. No.	Description	Qty
506 0160	Tubeless repair kit TT 13 Scope of delivery: 3 Repair patches Ø 30 mm, fabric reinforced 1 Tube of SPECIAL CEMENT BL (4 g), free of CFC/aromatic compounds 1 REMAXX Bike 5g tube 1 Emery paper 1 Instruction manual	5

REMAXX BIKE MOUNTING GEL

Special mounting fluid for bicycle tires.

Mounting gel for bicycle tyres, which simplifies the mounting/dismounting of tyres. Simply apply the bike tyre bed and rim. There are no additional tools necessary, as the product is absolutely mild on skin and therefore the brush-in can be performed with the finger without any concerns.

- Suitable for all bicycle tyres
- Transparent gel
- Quick and residue-free dry
- Perfectly integrable in any (REMA Tip Top) repair kit range
- Economical, as very accurate dosing because of the gel-like consistency
- Skin-friendly, Silicone-free and free of mineral oil containing additives

Ref. No.	Description	Content	Qty
593 5670	Remaxx Bike	5 g Tube	50

REMAXX BIKE MOUNTING FLUID

Special mounting fluid for bicycle tires.

Mounting fluid for bicycle tyres, which simplifies the mounting/dismounting of tyres.

Simply apply with the sponge applicator on the bike tyre bead.

- Suitable for all bicycle tyres
- Quick and residue-free dry
- Economical usage
- Simple and clean handling thanks to practical sponge applicator


Ref. No.	Description	Content	Qty
593 5680	REMAXX Bike Mounting Fluid	50 ml sponge can	10

NEW



NEW

Ideal for on the road!



NEW

Ideal for the Workshop!



➔ similar pictures

TYRE AND TUBE REPAIR/ACCESSORIES

REMAXX UNIVERSAL

- For fast, gentle and easy fitting and demounting of all standard tyre/rim combinations
- Chemically neutral with respect to rubber and metal
- Excellent lubrication for mounting and demounting operations = fewer injuries
- Promotes adhesion between rim and tyre, prevents tyre slippage
- Non-splattering

Ref. No.	Description	Content	Qty
593 0591	REMAXX UNIVERSAL	1 kg Bucket	1
593 0601	REMAXX UNIVERSAL	3,5 kg Bucket	1
593 0632	REMAXX UNIVERSAL	5 kg Bucket	1
593 0625	REMAXX UNIVERSAL	10 kg Bucket	1

MOUNTING PASTE BRUSHES

- The flat brush is especially suitable for mounting low-profile tyres
- Brushes with round head are excellent for application of mounting cream

Ref. No.	Description	Dia.	Length of handle	Width	Qty
595 8360	Flat brush car	50 mm	200 mm	—	1
593 0584	Special brush car	—	300 mm	30 mm	1

TYRE MOUNTING BARS

- Mounting bars made of high-quality plastic
- Distinctly less risk of damage to tyre and rim compared with conventional mounting bars

Ref. No.	Description	Content	Qty
596 0224	Tyre mounting bar, unpacked	100 mounting bars	1
596 4220	Tyre mounting bar, with self-service clip	3 mounting bars per bag	10

STITCHERS

- For smooth application of repair patches or rubber.


Ref. No.	Description	Size	Content	Qty
596 1027	Stitcher standard, corrugated	Ø 35 mm, width 4 mm	1	1

MARKERS

- For labelling rubber items or marking fields of repair patches.

Ref. No.	Description	Colour	Content	Qty
595 0045	Marking pen	silver	1	1



 similar pictures

TYRE AND TUBE REPAIR/ACCESSORIES

LIQUID BUFFER



- Free of CHC and aromatic compounds
- For quick and easy cleaning and buffing of Tubes
- For chemical cleaning before mechanical buffing

Ref. No.	Description	Content
505 9685	LIQUID BUFFER	250 ml Tin
505 9692	LIQUID BUFFER	500 ml Spray



UNIVERSAL PATCH (UP)

- Universal patches (UP) for the repair of small injuries to Tube or Tubeless tyres.

Ref. No.	Description	Size mm	Content		
512 5020	UNIVERSAL PATCH UP 3	Ø 27	100	•	•
512 5040	UNIVERSAL PATCH UP 4,5	Ø 37	100	•	•



SPECIAL CEMENT BL, FREE OF CHC/AROMATIC COMPOUNDS

- Accelerator solution for the application of REMA TIP TOP RAD, PN and UP repair patches, MINICOMBI, REMA STEM, SV bonding rubber, SEALASTIC, VULC COMPOUND
- SPECIAL CEMENT SC-BL can be universally used for selfvulcanization starting from 18 °C (65 °F) through to hot vulcanization up to 150 °C (300 °F)

Ref. No.	Description	Content
515 9303	SPECIAL CEMENT BL	4 g Tube
515 9327	SPECIAL CEMENT BL	12 g Tube
515 9334	SPECIAL CEMENT BL	30 g Tube
515 9341	SPECIAL CEMENT BL	40 g Tin
515 9358	SPECIAL CEMENT BL	70 g Tube
515 9365	SPECIAL CEMENT BL	225 g Tin




TALC

- For mounting Tube tyres and as care product/lubricant for rubber articles.
- Fine-grained
- Asbestos free

Ref. No.	Description	Content	Qty
593 0649	Talc	500 g Can	10
593 0687	Talc	25 kg Bag	1



 similar pictures

TYRE AND TUBE REPAIR/SELF-SERVICE PRODUCTS

BICYCLE SALES DISPLAY

Sales support for every retail shop.

- Various installation possibilities, as counter display, on the wall or integrated into an existing Pegboard.
- Quick and easy set up.

Measurement: 37,9 x 53,9 cm

BIKE SALES DISPLAY

Ref. No. 507 9900

Content:

Ref. No.	Description	Amount
506 4003	Bicycle repair kit TT 01, with self-service clip	10
506 4041	Bicycle repair kit TT 04 sport, with self-service clip	10
506 4106	Bicycle repair kit TT 02, with self-service clip	10
506 4199	Bicycle repair kit TT 05, with self-service clip	10
506 0900	Bicycle repair kit TT09, with self-service clip	10
552 3197	Universal repair kit, with self-service clip	10

CAMPING SALES DISPLAY

Ref. No. 552 4270

Content:

Ref. No.	Description	Amount
506 4003	Bicycle repair kit TT 01, with self-service clip	10
506 4106	Bicycle repair kit TT 02, with self-service clip	10
506 4199	Bicycle repair kit TT 05, with self-service clip	10
552 3197	Universal repair kit, with self-service clip	10
552 4000	CAMPLAST 1 kit, with self-service clip	10
552 4206	CAMPLAST 3 kit, with self-service clip	10



➤ similar pictures

TYRE AND TUBE REPAIR/SELF-SERVICE PRODUCTS

BICYCLE REPAIR KITS

Ref. No.	Description	Qty
506 4003	Bicycle repair kit TT 01, with self-service clip	10
506 4106	Bicycle repair kit TT 02, with self-service clip	10
506 4030	Bicycle repair kit TT 03 quick patch, with self-service clip	10
506 4041	Bicycle repair kit TT 04 sport, with self-service clip	10
506 4199	Bicycle repair kit TT 05, with self-service clip	10
506 4601	Bicycle repair kit TT 06, with self-service clip	10
506 0900	Bicycle repair kit TT09, with self-service clip	10
552 3197	Universal repair kit, with self-service clip	10

VULCANIZING FLUID

Ref. No.	Description	Qty
505 4037	Vulcanizing fluid 5g, with self-service clip	10
505 4051	Vulcanizing fluid 10 g, with self-service clip	10

TUBE PATCH STRIPS

Ref. No.	Description	Qty
506 4113	Tube patch strip TT 02, bicycle, with self-service clip	10

TUBE REPAIR SHEET

Ref. No.	Description	Qty
500 4520	Tube repair sheet 10 x 10, with self-service clip	10

LEAKFINDER

Ref. No.	Description	Qty
552 4062	Leakfinder	10

CO2 CARTRIDGES

Ref. No.	Description	Qty
596 4430	CO2 cartridges, with self-service clip, 12 g, 2 pieces	10
596 4426	CO2 cartridges, with self-service clip, 16 g, 2 pieces	10

VALVES AND ACCESSORIES

Ref. No.	Description	Qty
562 6032	SCLAVERAND valve to DUNLOP/bicycle pump	10
562 6018	DUNLOP/bicycle valve to car pump	10
562 0636	Bicycle Patent valve assortment	10
562 0650	MTB valve assortment	10
562 0629	Bicycle valve assortment	10



➤ similar pictures

TYRE AND TUBE REPAIR/REP & AIR

REP & AIR TUBELESS

For sealing of punctures without demounting the tyre from the rim.

Safety warning: The tyre should be checked/repared permanently after 400 km maximum (at a maximum speed of 60 km/h)

Ref. No.	Description	Qty
506 0351	REP & AIR Tubeless Threaded CO2 cartridges are filled with medical/technical carbon dioxide. Scope of delivery: 3 SUPER SEALASTIC repair plugs, 1 Tube of SPECIAL CEMENT BL 4 g, 1 Inserting tool 1 Clasp knife, 1 Chalk, 3 Cartridges 16 g each, 1 Cartridge adapter 1 Cartridge freeze protector, 1 Manual	5
506 4357	REP & AIR Tubeless, with self-service clip	5
510 3036	SUPER SEALASTIC repair plug, refill pack	5



REP & AIR TUBE

The complete breakdown service for on the way

After the repair, the tyre is easily inflated.


Ref. No.	Description	Qty
506 0375	REP & AIR Tube Threaded CO2 cartridges are filled with medical/technical carbon dioxide. Scope of delivery: 2 Tube patches size 0, 1 Tube patch size 7, 1 Tube of SVS vulcanizing fluid 3 g, 1 Emery paper, 1 Car valve core, short, 1 Slotted valve cap 4 Cartridges 16 g each, 1 Cartridge adapter 1 Cartridge freeze protector, 1 Instruction manual	5



REP & AIR accessories

Ref. No.	Description	Qty
596 0413	CO2 cartridges 12 g cartridge	24
596 0420	CO2 cartridges 16 g cartridge	24
596 0255	Cartridge adapter, plastic, flexible for car valve	10
596 0262	Cartridge adapter, plastic, flexible for bicycle and Sclaverand valve	10



 similar pictures

TYRE AND TUBE REPAIR/TYRE SEALANTS

PREVENTIVE TYRE SEALANT TT SEAL

- Preventive tyre sealant for Tube-type and Tubeless tyres
- Helps to avoid costs arising from the breakdown of expensive vehicles and machines
- Reduces the risk of tyre failures due to slow air loss, e.g. from smaller punctures
- Automatically seals smaller injuries
- Stays effective during the whole service life of a tyre
- Affects neither existing tyre repairs nor the repairability of a tyre
- Contains anti-corrosive agents for protection of rims and metal parts
- Free of CHC and aromatic compounds
- A detailed list of quantities required for each tyre sizes is enclosed
- **Caution: Approved for a maximum speed of 80 km/h!**

Ref. No.	Description	Content	Qty
593 1239	TT SEAL, in display box	250 ml Tube	12
593 1291	TT SEAL	250 ml Tube	5
593 2670	TT SEAL	1l Bottle	10



EMERGENCY TYRE SEALANT SPRAY

- For the repair of smaller injuries on the running tread of all types of bicycle Tubes
- For all types of bicycle tyres with or without Tube
- Cannot be used when the Tube or cover is torn open, or when the tyre has slipped off the rim

Ref. No.	Description	Content	Qty
593 2230	Emergency tyre sealant spray Suitable for DUNLOP valves or with suitable adapter	75 ml spray can	20
593 2240	Emergency tyre sealant spray with side hose adapter Suitable for SCHRADER valves or with suitable adapter	75 ml spray can	12 Piece



NEW

similar pictures

OUTDOOR REPAIR MATERIAL

UNIVERSAL-REPAIR

- The extensive all-purpose repair kit for indoors, outdoors and travel
- Repair kit for rubber articles and CAMPLAST kit for plasticized PVC, artificial leather and fabric surfaces
- For pool covers and covering sheets, tents and ground sheets, airbeds, rainwear, inflatable rubber dinghies, umbrellas, sun blinds, bicycle Tubes, rubber boots, etc.

Ref. No.	Description	Qty
552 4196	Universal repair kit	10
552 3197	Universal repair kit, with self-service clip Scope of delivery: 3 Tube patches size 1, 3 Tube patches size 2, 1 Tube patch size 7, 1 Tube of vulcanizing fluid 5 g, 1 Working instructions for rubber items 2 CAMPLAST patches approx. 35 mm Ø 2 CAMPLAST patches approx. 45 mm Ø 1 CAMPLAST patch approx. 73 x 38 mm 1 Tube of CAMPLAST cement 6 g 1 Emery paper with special rubberpad 1 Emery paper, 1 Instruction manual	10

CAMPLAST

- For the repair of small punctures on tents and other outdoor articles with PVC, PU or fabric surfaces
- Can also be used for sealing leaky seams of PU-coated tents
- Contain CAMPLAST repair patches and products for pasting of plasticized PVC and textile fabric, such as sun blinds
- Joints pasted with CAMPLAST cement are thermally stable up to about 60 °C depending on load
- Free of CFC and aromatic compounds
- Store cool and dry

Ref. No.	Description	Colour	Qty
552 3001	CAMPLAST 1 kit	transparent	24
552 4000	CAMPLAST 1 kit, with self-service clip Scope of delivery: 2 Patches approx. 35 mm Ø 1 Patch approx. 45 mm Ø 1 Patch approx. 73 x 38 mm 1 Tube of CAMPLAST cement 6 g 1 Emery paper 1 Instruction manual	transparent	10
552 3207	CAMPLAST 3 kit	transparent	10
552 4206	CAMPLAST 3 kit, with self-service clip Scope of delivery: 3 Patches approx. 35 mm Ø 3 Patches approx. 45 mm Ø 3 Patches approx. 73 x 38 mm 1 Repair strip approx. 75 x 300 mm 4 Tubes of CAMPLAST cement 6 g each 1 Emery paper, 1 Instruction manual	transparent	10



similar pictures

I love my ... MOUNTING STAND



„To upgrade our workshop to the best E-Bike conditions, we implemented the pneumatic mounting stand from REMA TIP TOP. With this stand you can mount E-bikes using the innovative 3-point clamping system, which enables you to do heavy work on the totally fixed and secured bikes. The air pressure supported usage can lift up to 35 kg and is easy and "ergonomic". This is an unbeatable value and makes working with this stand worth every cent you spent."

Sebastian Boehm, editor for the German bicycle magazin VeloTotal



MOUNTING STANDS

PNEUMATIC MOUNTING STAND

- Convenient working due to the pneumatic lifting device
- Also suitable for E-bikes with weight exceeding 35 kg
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory
- Patented 3-point clamping system included (description on page 23)

Technical data:

Size	1720 x 540 x 760 H x W x L mm
Weight	49 kg
Loading capacity	35 kg
Stroke	600 mm
Lifting height	775 1375 (center of clamping system) mm
Operating pressure	8 bar
Maximum pressure	10 bar


Ref. No.	Description
589 4994	Pneumatic mounting stand
	Optional accessories:
589 4738	Base plate
589 4997	Additional arm with adjustable clamp
589 5052	Edge protection
589 5831	Clamping extension
589 5833	Mounting Stand Extension 25 cm



All REMA TIP TOP mounting stands including 3-point clamping system

- Unique 3-point clamping system patented by REMA TIP TOP
- Bike can be turned by 160° using an angle adjusting system
- Allows frames of various shapes and materials to be clamped
- Delicate frames made of carbon or aluminium cannot be scratched, thanks to the rubber coated pins

On request, the additional arm with adjustable clamp (ref.no. 589 4997) can always be ordered instead of the 3-point clamping system

 similar pictures

MOUNTING STANDS


PNEUMATIC MOUNTING STAND XL

- Convenient working due to the pneumatic lifting device
- Lifting and lowering movement via pneumatic cylinder Ø80 x 800 mm Stroke and hand lever valve with adjustable silencer throttles
- Also suitable for E-bikes with weight exceeding 35 kg
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory
- Patented 3-point clamping system included (description on page 23)

Technical data:

Size	1750 x 760 x 680 H x W x L mm
Weight	75 kg
Loading capacity	35 kg
Stroke	800 mm mm
Operating pressure	8 bar
Maximum pressure	10 bar

Ref. No.	Description
589 5003	Pneumatic mounting stand XL
	Optional accessories:
589 4738	Base plate
589 4997	Additional arm with adjustable clamp
589 5831	Clamping extension
589 5052	Edge protection



MOUNTING STANDS

GREEN & CLEVER MOUNTING STAND


- Mechanical bicycle mounting stand with energy-saving lifting assistance through an integrated gas pressure spring.
- No foot pedal or pneumatic support necessary.
- A special gas pressure spring compensates the normal weight of the bicycle.
- Simply attach the wheel in the clamping system and easily move up and down by hand slide.
- Fixing to working height with a cam lever.
- Extra high XL-lifting capacity of up to 800mm!
- Base height of the swivel unit (center rolls) of 725mm.
- Very environmentally friendly, no energy costs, no special connections required!
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory
- Patented 3-point clamping system included

Technical data:

Size	1800 x 760 x 580 H x W x L mm
Weight	58 kg
Loading capacity	30 kg
Stroke	800 mm
Lifting height	740 1540 (center of clamping system) mm

Ref. No.	Description
589 5832	Green & Clever mounting stand
	Optional accessories:
589 4738	Base plate
589 4997	Additional arm with adjustable clamp
589 5052	Edge protection
589 5831	Clamping extension



 similar pictures

MOUNTING STANDS

ALUMINIUM MOUNTING STAND

- Working height (max. approx. 170 cm) adjustable before clamping the bike
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory
- Patented 3-point clamping system included (description on page 23)

Technical data:

Size	1720 x 300 x 280 H x W x L mm
Weight	28 kg
Load	35 kg

Ref. No.	Description
589 4737	Aluminium mounting stand
	Optional accessories:
589 4738	Base plate
589 4848	Tool tray
589 4997	Additional arm with adjustable clamp
589 4998	Guide plate
589 4995	Additional arm 2nd workplace
589 4996	Base plate extension
589 5052	Edge protection
589 5831	Clamping extension



CARGOLIFT/CEILING LIFT

CARGO LIFT

The multitalent with high flexibility

The Cargolift also allows to lift heavy, long and wide bicycles, e.g. Cargobikes, Courier bikes, Family bikes or tricycles.

- Stand column for ceiling lift made of aluminum profile 80 x 80
- Incl. 3 small hooks for hanging control unit or accessories
- Base plate of flat steel 300/10 x 100 cm long, powder coated black RAL 9005

Caution: For safety reasons the base plate must be screwed to the workshop floor

Order note: 5895826 Ceiling lift bicycle must be ordered separately

Order information

Technical data:

Size 2500 x 1000 x 1000 H x W x L mm
Weight 75 kg

Ref. No.	Description
589 6001	Cargolift


CEILING LIFT BICYCLE

- Especially designed for quick, accurate and easy lift bicycles
- Compact, robust design
- Easy installation
- Low noise level (75 dba.)
- Operation via two-button control panel
- 3 hanging hooks, PVC coated to avoid damage

Technical data::

Size 205 x 275 x 1030 H x W x L mm
Loading capacity 150 kg
Stroke 2750 mm
Voltage 230 V

Ref. No.	Description
589 5826	Ceiling lift bicycle



MOUNTING STANDS ACCESSORIES

3-POINT-CLAMPING SYSTEM WITH WALL-MOUNTING DEVICE

- Unique 3-point clamping system patented by REMA TIP TOP
- Bike can be turned by 160° using an angle adjusting system
- Allows frames of various shapes and materials to be clamped
- Delicate frames made of carbon or aluminium cannot be scratched, thanks to the rubber coated pins

3-POINT CLAMPING SYSTEM, FOR MOUNTING STANDS WITH CLAMP

- Ideal for all traditional mounting stands with clamp
- With the integrated adapter you can easily convert your old mounting stand to the new 3-point clamping system
- Perfectly suitable for especially delicate frames made of carbon or aluminium
- Reliable securing of the bike without scratches thanks to optimal pressure distribution on three PVC universal pins

Ref. No.	Description
589 4726	3-point clamping system, for mounting stands with clamp Optional accessories: 589 5831 Clamping extension 589 5052 Edge protection

3-POINT-CLAMPING SYSTEM WITH WALL-MOUNTING DEVICE

- Space-saving wall-mounting for bicycle workshops
- Perfect for outside service stations or "Do-it-yourself corners"
- Also suitable for your own bicycle workshop at home, e.g. in the cellar or garage
- When not in use, the 3-point-clamping system can be easily dismantled from the wall plate by loosening just one screw

Ref. No.	Description
589 4725	3-point-clamping system with wall-mounting device Optional accessories: 589 5831 Clamping extension 589 5052 Edge protection



similar pictures

MOUNTING STANDS ACCESSORIES

BASE PLATE

- Ensures stability if the mounting stand is not secured to the floor

Ref. No.	Description	Qty
589 4738	Base plate for article: 589 4736, 589 4737, 589 4994, 589 5832, 589 5003 Technical Data: Dimensions: 750 x 500 x 25 mm Weight: ca. 45 kg	1

BASE PLATE EXTENSION

- Ensures stability when the mounting stand aluminium is used as a twin work station.


Ref. No.	Description	Qty
589 4996	Base plate extension, incl. screws Dimensions: 250 x 500 mm	1

MOUNTING STAND EXTENSION

- Suitable for ref. no. 589 4736, 589 4737, 589 4994, 589 5832, 589 5003
- Total working height is increased by 250 mm.
- Material: steel plates powder coated red RAL3020

Ref. No.	Description	Qty
589 5833	Mounting Stand Extension	1



 similar pictures

MOUNTING STANDS ACCESSORIES

EDGE PROTECTION

- Edge protection for 3-point clamping system
- For all REMA TIP TOP mounting stands with 3-point clamping system
- Protects the bike frame from potential damage by metal parts of the clamping system.
- Simply clip on

Ref. No.	Description	Qty
589 5052	Edge protection for 3-point clamping system	1

CLAMPING EXTENSION

- Can be mounted in place of a PVC roller or the Universal retaining pin
- Effects a enlargement of the 3-point clamping system
- Makes it easier to clamp "difficult" bicycle frames

Ref. No.	Description	Qty
589 5831	Clamping extension Length: 140 mm	1

UNIVERSAL RETAINING PIN

- Rubberised quick change pins
- Ideal for frame shapes which cannot be clamped with the PVC rollers because space is an issue

Ref. No.	Description	Qty
589 5823	Universal retaining pin, rubberised Length: 1 x 160 mm	1

BOTTOM BRACKET PIN FOR TENSION ROD

Ref. No.	Description	Qty
589 5849	Bottom bracket pin for tension rod Size: 75 mm lenght, rubberised	1



NEW

similar pictures

MOUNTING STANDS ACCESSORIES

TOOL TRAY

Practical accessory for storing small items.

Ref. No.	Description	Qty
589 4848	Tool tray for holding small items Suitable for Aluminium mounting stand	1

ADDITIONAL ARM

For conversion the Mounting Stand Aluminium to a twin work station

Ref. No.	Description	Qty
589 4995	Additional arm Suitable for Aluminium mounting stand	1

ADDITIONAL ARM WITH ADJUSTABLE CLAMP


Ref. No.	Description	Qty
589 4997	Additional arm with adjustable clamp Suitable for Ref.No 589 4736, 589 4737, 589 4994	1
589 4998	Guide plate, for additional arm with adjustable clamp	1
589 5000	Replacement rubber jaws, set of 4	1

MOBILE WORKING LIGHT

The right light for every Job.

Ref. No.	Description	Electric power/ connection	Qty
517 4522	Halogen lamp, magnetic 1 Electric power/connection	220+12/20 V/W	1
517 4560	LED illuminant, 460 lumens	12/6 V/W	1



 similar pictures



// ONE BRAND // ONE SOURCE // ONE SYSTEM



REMA TIP TOP BATTERY LOCKER S/M/L

Storage and charging cabinet


The high-security zone for lithium-ion batteries

Optimum storage conditions and reliable fire protection for LI-Ion batteries: The new REMA TIP TOP BATTERY LOCKER offers the perfect solution for every bicycle workshop!

REMA TIP TOP BATTERY LOCKER



Recirculation fan
Weight: 18 kg



Extractor fan
Weight: 10 kg



BATTERY LOCKER S
Weight: 210 kg



BATTERY LOCKER M
Weight: 340 kg

Lithium-ion batteries: High performance, high demands

Lithium-ion batteries make e-bikes mobile and are indispensable in the bicycle repair shop. Improper storage, however, carries a significant potential risk: After a technical defect or mechanical impact, they can ignite themselves. It creates an explosive jet flame and gases can spread quickly. If several batteries are stored in one place, this leads to a significant chain reaction.

Even a complete discharge of the battery can cause unnoticed damage, so the charging power should be constant at 40%. For this purpose, a specific ambient temperature must be maintained. Therefore storage conditions require the highest level of safety, optimum climate and reliable fire protection.

REMA TIP TOP BATTERY LOCKER: Fire protection and perfect conditions

The REMA TIP TOP BATTERY LOCKER is a safety cabinet specifically designed for the storage of Lithium-ion batteries. It is made in Germany and consists of a non-flammable material. Due to its high-quality design and processing, it offers 90 minutes of complete fire resistance.

The doors close in case of fire independently and offer otherwise secure theft protection. To minimize the risk of fire in advance, the BATTERY LOCKER is grounded, so that ignition by electrostatic charging are excluded.

With the right accessories for the REMA TIP TOP-BATTERY LOCKER, the storage conditions for the Lithium-ion batteries can be further improved. At the exhaust air opening on the top of the cabinet can be a recirculation fan or exhaust fan connected. The BATTERY LOCKER is available in three sizes S, M and L. Depending on the storage requirements and space, every bicycle workshop will find the right model.

REMA TIP TOP BATTERY LOCKER



BATTERY LOCKER L
Weight: 600 kg

REMA TIP TOP BATTERY LOCKER

- Made in Germany
- GS/CE label
- Resistant to fire for 90 minutes
- Made of non-flammable material (A2), surface-coated
- High-chemical-resistance surface
- Body grey, similar to RAL 7035 light grey microperl, edges in different shade
- Door stay hinge, self-closing in case of fire
- Stainless steel hinges, metal handle
- Removable plinth board for pallet truck access
- Adjustable feet for easy positioning and levelling, adjustable plinth
- Earthed to avoid electrostatic charging and possible discharge sparking
- Inlet and exhaust ventilation on top of cabinet (Exhaust pipe NW 100)
- Automatically-triggered closing of air in- and outlet through thermal monitoring
- Available in three sizes

Attention: Shipping and delivery must be clarified before the order - REMA TIP TOP supports you!

The REMA TIP TOP BATTERY LOCKER program is modular.

You can combine cabinets and accessories according to your needs:

REMA TIP TOP BATTERY LOCKER – Product range

Ref. No.	Description
589 5841	BATTERY LOCKER S Security Cabinet Under-table safety cabinet Size: 1.100 x 500 x 670 mm (W x D x H) Weight: 210 kg
589 5842	BATTERY LOCKER M Security Cabinet Size: 600 x 595 x 1.960 mm (W x D x H) Weight: 340 kg
589 5843	BATTERY LOCKER L Security Cabinet Size: 1.200 x 595 x 1.960 mm (W x D x H) Weight: 600 kg
589 5844	Extractor fan Weight: 10 kg
589 5845	Recirculation fan with activated carbon filter Weight: 18 kg
589 5846	Cable entry, fire resistant
589 5847	Cable, fire resistant and pipe seal, round, for cable bundle



COMPRESSOR

PAINTAIR 300/4

Ref. No. 589 5009

This piston compressor of SILENT series finds there its use where low noise is required. Thanks to excellent sound (noise of only 40 dB (A)), the compressor can be used directly at the workplace.

- Super quiet thanks to special sound insulation
- Easy transportation
- High filling capacity



Technical specifications:

Silenced, special for decoration and Air-Brush

I	V/Ph	kW	HP	Model	l/min.	m ³ /h	c.f.m.	bar	p.s.i.	R.P.M.	n°	n°	dB (A)	LwA	L x D x H (cm)	kg	lbs
4	230/1	0,19	0,26	-	25	1,25	0,88	8	116	2850	1	1	40	-	20 x 45 x 46	20	44

- This is just one example of our product range. Please contact us, we will be glad to meet individual requirements.

TYRE INFLATORS & TYRE PRESSURE GAUGES

BICYCLE TYRE INFLATORS

Solid design with pressure gauge up to 10 bar (not verifiable).
Equipped with SKS/DUO-valve port. Reliable for all valves.

Ref. No.	Description	Qty
508 8617	Universal bicycle tyre inflator gauge	1
508 8640	Pressure gauge	1



BICYCLE TYRE INFLATOR

Bicycle tyre inflator for easy, rapid inflation of bicycle and MTB tires without additional adapters. With pressure gauge up to 10 bar / 145 psi (uncalibrated).

Ref. No.	Description	Qty
508 8601	Bicycle tyre inflator gauge	1
508 8632	Pressure gauge	1
774 4943	Connection nipple for Dunlop valve	1
562 5459	Sealing membrane	1
562 5105	Clip-on connector	1



CLIP-ON CONNECTORS

- Design with collar and adjustable cover
- Pressure of sealing membrane is adjustable

Ref. No.	Description	Qty
562 5215	Clip-on connector, Tube size 4.5 x 10 mm, Suitable for VG8	1
562 5222	Clip-on connector, Tube size 6.0 x 14 mm, Suitable for VG8	1



TYRE PRESSURE GAUGES

Ref. No.	Description	Measuring range	Content	Qty
519 9340	Tyre pressure gauge, High quality - Ergonomic handling Convenient illumination, pocket lamp function - Precise, calibrated digital indication (bar, psi, kPa)	digital, 0 - 145 psi 0-10 Bar	1	1
570 9060	Tyre pressure gauge RM/4 S-6 Suitable for Standard valves; Spoked wheels; Checking of motorcycle fork pressure and hard to reach valves Slapping connector - Dual calibration	0 - 57 psi 0-4 Bar	1	1
571 9480	Tyre pressure gauge RM/10 S-6 Suitable for Standard valves Slapping connector	0 - 142 psi 0-10 Bar	1	1




[similar pictures](#)

BICYCLE VALVES

BICYCLE VALVES, DUNLOP

Ref. No.	Description	Content	Qty
562 0605	ALLIGATOR express valve	2	25
562 0612	ALLIGATOR express valve, unpacked	1	1
562 0636	Patent valves, with self-service clip DUNLOP/bicycle valve adapter	2	40
562 0629	Bicycle valve assortment, with self-service clip DUNLOP/bicycle valve adapter	1	40
562 0674	Standard valve Dunlop DUNLOP/bicycle valve adapter	1	100
562 0708	Valve cap, rubber DUNLOP/bicycle valve adapter	1	100
562 0715	Valve cap, plastic DUNLOP/bicycle valve adapter	1	100
562 0739	Top nut DUNLOP/bicycle valve	1	100
562 0746	Rim nut DUNLOP/bicycle valve	1	100
596 0327	Valve tubing DUNLOP/bicycle valve	2,5 m	2



BICYCLE VALVES, SCLAVERAND

Ref. No.	Description	Content	Qty
562 0021	Valve core, Sclaverand	1	100
562 0409	Valve cap, plastic	1	100
562 0416	Valve cap, metal	1	100
562 0760	Rim nut, Sclaverand	1	100

VALVE CORES, SCHRADER

Ref. No.	Description	TR-No.	Content	Qty
562 0007	Valve core, long	C1	100	1
562 0014	Valve core set, long	C1	5 in plastic box	4
562 0045	Valve core, short	C1	100	1
562 0052	Valve core set, short	C1	5 in plastic box	4

similar pictures

BICYCLE VALVE ADAPTERS

VALVE CAPS, METAL, VG8

Ref. No.	Description	TR-No.	Content	Qty
562 0155	Valve cap, extra short	VC3eq	100	1
562 0203	Valve cap	VC3eq	100	1



BICYCLE VALVE ADAPTERS

Ref. No.	Description	Content	Qty
562 5064	Valve adapter SCLAVERAND/racing bike valve to DUNLOP/bicycle pump	1	10
562 6032	Valve adapter, with self-service clip SCLAVERAND valve to DUNLOP/bicycle pump	2	40
5625071	Valve adapter, with non-return valve Car valve to DUNLOP/bicycle pump	1	10
562 5057	Valve adapter, without non-return valve Car valve to DUNLOP/bicycle pump	1	10
562 5002	Valve adapter, with gasket DUNLOP/ bicycle valve to car pump	1	10
562 5019	Valve adapter, without gasket DUNLOP/ bicycle valve to car pump	1	10
562 6018	Valve adapter, with self-service clip DUNLOP/bicycle valve to car pump	2	40
562 5026	Valve adapter Plug-in adapter for car valve to DUNLOP/bicycle pump	1	10
562 5459	Sealing membrane Connector	1	1



[similar pictures](#)

WORKPLACE MATS

ERGOLASTEC® INDUSTRIAL WORKPLACE MATS

Ergonomic flooring solutions for use in industry, commerce and trade.

The forest floor effect

Impact-absorbing, slip-resistant, insulating - health and safety in the workplace with ERGOLASTEC® RUBBER MATS.

ERGOLASTEC® BASIC

The multi-purpose mat for all high-footfall areas and stand-up workstations which are not exposed to any specific impact or hostile influences.

ERGOLASTEC® basic is especially suitable for e.g. in front of workbenches, assembly benches, production lines, turning and milling machines, machining centres, in assembly pits, on gratings or at bar counters and cashier points.


Advantages

- Flexible and variable
- ERGOLASTEC industrial mats boast shock-absorbing properties to protect joints and spine as well as improved traction and skid resistance to prevent accidents.
- Cleaning involves virtually no outlay - standard cleaning agents can simply be used. The mats can just be removed for cleaning so that the floor can also be cleaned.

Properties

- Skid-resistant even on soiled surfaces
- Surfaces adapted to working conditions to prevent foot eversion
- Bevelled outside edges for reduced risk of stumbling
- Very firm and sturdy and therefore suitable as a base when using transportation equipment
- Muscles exercised through intuitive compensating motions
- Shock-absorbing action enables reduction in joint and back problems
- The heavy weight of mat prevents it from slipping when laid as a single mat
- Maintenance-free and heat-insulating







Ref. No.	Type	Description
589 5041	Type A	Uncut
589 5042	Type B	Puzzle interlocking edge on one long side
589 5043	Type C	Puzzle interlocking edge on two long sides
589 5044	Type D	Puzzle interlocking edge on one short side
589 5045	Type E	Puzzle interlocking edge on two short sides
589 5046	Type F	Puzzle interlocking edge on one short side and one long side
589 5047	Type G	Puzzle interlocking edge on one short side and one long side, mirrored
589 5048	Type H	Puzzle interlocking edge on one short side and two long sides
589 5049	Type I	Puzzle interlocking edge on two short sides and one long side
589 5050	Type J	Puzzle interlocking edge on four sides



Type A



Type J



Skin protection plan

PROTECTION SKIN PROTECT



Schützt Ihre Hände bei der Arbeit.

- Protects against heavy soiling
- Protects the skin with an elastic, non-slippery film



Ref. No. **593 2276**
SKIN PROTECT 1l -
Protection creme
before starting work



Ref. No. **593 2490**
Wall-mounted
dispenser for
1l & 2l

CLEANING HAND CLEANER



Reinigt Ihre Hände.

- Dermatologically tested
- Cleans with very fine abrasive materials and mild ingredients
- Slightly perfumed paste
- High hygiene standard



Ref. No. **593 2150**
Hand Cleaner FLUID
Tube 250 ml



Ref. No. **593 2120**
Hand Cleaner FLUID
flexible bottle 2l



Ref. No. **593 2490**
Wall-mounted
dispenser for 1l & 2l



Ref. No. **593 2110**
Hand Cleaner FLUID
standing botte 2l



Ref. No. **593 2570**
Pump dispenser

CARE SILK SKIN



Pflegt Ihre Hände nach der Arbeit.

- Slightly greasy protective skin-care cream
- Contains natural oils and beeswax
- Helps regeneration of the skin



Ref. No. **593 2269**
SILK SKIN 1l - Skin care
after washing



Ref. No. **593 2490**
Wall-mounted dispenser for
1l & 2l

PROTECTING, CLEANING AND CARING

HAND PROTECTION

- SKIN PROTECT is a water-soluble, white, non-greasy and silicone-free skin cream which protects the skin with an elastic, non-slippery film
- Skin protection products help prevent damage to the skin by creating a "protective barrier"
- Protects against heavy soiling from substances such as soot, tar, adhesives, solvents, paint thinners etc.
- The slightly perfumed skin cream facilitates skin cleaning after work

Ref. No.	Description	Content	Qty
593 2276	SKIN PROTECT 1000 ml flexible bottle	1 l	1

HAND CLEANER FLUID

- Hygienic packed hand cleaner, pumpable
- Gentle and powerful
- Ready for use
- For all washrooms of workshops

Ref. No.	Description	Content	Qty
593 2150	HCL FLUID	250 ml	1
593 2110	HCL FLUID standing botte	2 l	1
593 2120	HCL FLUID flexible bottle	2 l	1
593 2570	Pump dispenser, for HCL FLUID (593 2110)		1

HAND CARE

- SILK SKIN is a non water-soluble, silicone-free, slightly greasy protective skin-care cream with beeswax
- High-quality vegetable oils complemented with moisture-regulating ingredients keep the skin smooth and elastic
- Regular application after washing hands supports the natural resistance and regeneration of the skin
- Optional wall-mount dispenser available

Ref. No.	Description	Content	Qty
593 2269	SILK SKIN 1000 ml flexible bottle	1 l	1



similar pictures

PROTECTING, CLEANING AND CARING

WALL-MOUNTED DISPENSER

- Sturdy wall-mounted dispenser
- All Hand Cleaner dispensers are easy to re-fill
- Dispensing quantity is adjustable

Ref. No.	Description	Content	Qty
593 2490	Wall-mounted dispenser UNI 2000, for 2000 ml flexible bottles 290 x 125 x 125 H x W x L mm	2 l	1

CLEAN-UP HANDCLEANING WITHOUT WATER

- REMA TIP TOP CLEAN-UP is the cleaning paste to go
- Quickly removes even tough soiling from the hands without water - and is mild and gentle to the skin
- Simply put on your hands and dry-rub off

Ref. No.	Description	Content	Qty
593 2252	CLEAN-UP	25 ml Tube	1
593 2255	CLEAN-UP, COUNTER DISPLAY	20 x 25 ml Tubes	1

HAND CLEANER TOP CLEAN

- Efficient, cream formula hand cleaner which does not attack the skin
- Removes toughest soiling such as oil, grease, resin, paint etc.
- Cleans with mild ingredients and very fine abrasive materials with no organic solvents
- Contains no sand and therefore does not clog outlets or drains
- Over 90% of the ingredients are biodegradable

Ref. No.	Description	Content	Qty
593 2150	Hand Cleaner TOP CLEAN	250 ml Tube	12
593 2018	Hand Cleaner TOP CLEAN	5 l Bucket	8
593 2025	Hand Cleaner TOP CLEAN	10 l Bucket	1
593 2063	Pump dispenser TOP CLEAN	—	1
593 0412	Hand Cleaner dispenser with wall mount bracket, 2500 ml, Dispenses approx. 300 portions, Universally for all pastes	—	1



→ similar pictures

BICYCLE CLEANING AND MAINTENANCE

CHAIN CLEANER TOP CHAIN WASHER

Revolutionary design

- Fast and handy
- Economic and thorough cleaning
- Chain cleaning spray available separately
- For efficient cleaning of driving chains, chain sprockets and gearshift assemblies
- Excellent for cleaning disc brakes

Ref. No.	Description	Content	Qty
593 2720	Chain washer, in self-service blister package	250 ml Spray	1
593 2730	Chain cleaning spray	250 ml Spray	12



CHAIN CLEANER

For efficient and gentle cleaning of driving chains, chain sprockets and gearshift assemblies

- Does not attack gaskets/O-rings
- Temporary corrosion protection

Ref. No.	Description	Content	Qty
593 1181	Chain cleaner	250 ml Tin	8
593 1198	Chain cleaner	1000 ml Tin	1



BIKE CLEANER

For efficient and gentle removal of oil, grease and road soiling from all aluminium, chromium and steel parts

- Convenient application thanks to absence of aggressive, surface-active acids
- Over 90 % of cleaning components biodegradable

Ref. No.	Description	Content	Qty
593 1208	Bike cleaner, pump bottle	500 ml	10
593 1222	Bike cleaner, can	5 l	1
593 1223	Bike cleaner, can	10 l	1



similar pictures

BICYCLE CLEANING AND MAINTENANCE

CHAIN SPRAY

The "standard choice" in chain care

- Tight lubricating film on mineral oil base
- High penetration and adhesive power
- Long-lasting protection against humidity, corrosion and wear
- Efficient over a wide temperature range
- Excellent lubricating effect

Ref. No.	Description	Content	Qty
593 1136	Chain spray	250 ml	12
593 1150	Chain spray	75 ml	20



NANO DIAMANT KETTENPFLEGE

Professional formula chain oil with latest nano technology for highest demands

- Outstanding long-term lubricant for the bicycle chain
- Special combination of active ingredients excelling by high penetration and adhesive power as well as increased wearing and corrosion protection
- Reduces friction noticeably
- O-rings remain elastic within a wide temperature range

Ref. No.	Description	Temperature range	Content	Qty
593 2290	NANO chainlube	-20 to +200 °C	125 ml Spray	12
593 1810	NANO chainlube	-20 to +200 °C	50 ml PE-bottle	12



SPECIAL BIKE FLUID

- Economic (all-round) bicycle oil
- For removal of gummy oil and grease residues
- Releases jammed bowden cables
- Can be used for maintenance of bicycle locks and steel, aluminium and chromium parts
- High penetration
- Temporary corrosion protection

Ref. No.	Description	Content	Qty
593 1088	Special Bike Fluid, in counter display	50 ml Bottle	20



similar pictures

BICYCLE CLEANING AND MAINTENANCE

MAINTENANCE OIL

For all kinds of lubricating and protection of bicycles

- Ideal care product for the suspension fork
- Consistent protective film on movable parts, especially for winter conservation
- High penetration for profound lubrication
- Drives out moisture and protects against corrosion

Ref. No.	Description	Content	Qty
593 1064	Maintenance oil spray	250 ml	12



SILICONE SPRAY

Lubricates and revives all rubber, plastic and chromium parts

- Prevents deposits of heavy grime
- Dirt repellent
- Antistatic, non-greasy
- Colourless and odourless

Ref. No.	Description	Content	Qty
593 1095	Silicone spray	250 ml	12



PROTECTION WAX

For bicycle frames and movable parts Restores gloss after cleaning

- Dirt repellent by thin wax film
- Protects against corrosion
- Long-lasting gloss

Ref. No.	Description	Content	Qty
593 1143	Protection wax, spray	250 ml	12



BRILLIANT GLOSS SPRAY

For care and conservation of metal parts in a single step

- Dual effect (2-in-1)
- Stops corrosion
- Gives lasting, protective gloss

Ref. No.	Description	Content	Qty
593 1167	Brilliant gloss spray	250 ml	12



[similar pictures](#)

REFLECTIVE PRODUCTS

SAFETY COLLAR

Safe companions for your children, wherever they go.

- Suitable in all weather conditions, Simple to put on and comfortable to wear
- No adjustment required, predetermined breaking point to prevent strangulation
- Suitable for children age three and over, highest visibility through the use of Reflexite material conforming to EN 13356, with 12.500 microprisms

Ref. No.	Description	Colour	Qty
508 1460	Child safety collar completely reflective, with self-service clip	yellow	5
508 1480	Child safety collar reflective hand motif, with self-service clip	yellow	5

ARM AND ANKLE BANDS

Reflexite film, with Velcro fastener according to EN 13356 with 12.500 microprisms
Arm and ankle bands are velour fleece backed and adjustable in length by means of a convenient Velcro fastener.

Ref. No.	Description	Colour	Content	Qty
508 1500	Packaging units 5081500 Arm/ankle band, with self-service clip 380 x 27 L x W mm	yellow	2	10

SLAPWRAP BANDS

- Automatically wrap around arms or legs by self coiling
- Can be used as trouser clip or arm band
- Silver Reflexite foil conforming to EN 13356 and TÜV GS with 12.500 microprisms
- Light falling on its surface is retro-reflected with enormous reflection intensity
- The phosphorescent effect is due to pigments which absorb daylight or artificial light and glow in the dark for several hours as they release the stored energy
- The wearer is highly visible for a length of time and can be seen from a great distance

Ref. No.	Description	Colour	Content	Qty
508 1520	Slapwrap band fluorescent, with self-service clip 340 x 31 L x W mm	silver	2	10
508 1490	Slapwrap band XXL fluorescent, with self-service clip 440 x 44 L x W mm	silver	1	10

BODY REFLECTOR

Elastic waist belt with shoulder sash, black with silver reflective stripes conforming to EN 13356. Fast to put on thanks to the practical quick-release closure. The length of the body reflector is continuously adjustable. When folded it fits into any pocket.

Ref. No.	Description	Colour	Content	Qty
508 1010	Body reflector, with self-service clip	grey/silver	1	10

STICKERS

Reflective stickers for use on a variety of items (clothing, school satchels, bicycle helmets, etc.). Silver coloured Reflexite film, backed with self-adhesive material, according to DIN 13356 with 12.500 microprisms. Guarantee high visibility for other road users. Good adhesion to most smooth surfaces, especially fleece and polyester.

Ref. No.	Description	Colour	Content	Qty
508 1510	Sticker set, with self-service clip 100 x 100 mm	silver	1	10



Imprint HQ:

REMA TIP TOP AG
Gruber Straße 65
85586 Poing/Germany

Headoffice: Phone +49 8121 707-100
info@tiptop.de
<https://bike.rema-tiptop.com/>

EN Bike Homepage
www.bike.rema-tiptop.com

Your local contact



// ONE BRAND // ONE SOURCE // ONE SYSTEM

REMA TIP TOP AG
Gruber Straße 65 · 85586 Poing/Germany
Headoffice:
Phone +49 8121 707-100
info@tiptop.de
<https://bike.rema-tiptop.com/>